



SAFETY DATA SHEET

Page : 1

Revised edition no : 0

Date : 27 / 12 / 2010

Supersedes : 0 / 0 / 0

Strizo EP 425**7425 B**

C : Corrosive



8 : Corrosive substance.

Producer

Strizo synthetics B.V.
Jules Verneweg 98
5015 BM Tilburg Nederland
Tel: 0031 (0) 13-5362885 Fax: 0031 (0) 13-5427195
E - Mail: info@strizo.com Web Site : www.strizo.com

Responsible for distribution

Strizo synthetics B.V.
Jules Verneweg 98
5015 BM Tilburg Nederland
Tel: 0031 (0) 13-5362885 Fax: 0031 (0) 13-5427195
E - Mail: info@strizo.com Web Site : www.strizo.com

1 IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING**Use** : Industrial.**2 COMPOSITION / INFORMATION ON INGREDIENTS****Components** : This product is hazardous.

| Substance name | Contents | CAS No | EC No | Index No | Classification |
|--|----------|-----------|-----------|--------------|---------------------------------------|
| Benzyl alcohol | > 25 | 100-51-6 | 202-859-9 | 603-057-00-5 | Xn; R20/22 |
| 3-aminomethyl-3,5,5-trimethylcyclohexylamine | < 25 | 2855-13-2 | 220-666-8 | 612-067-00-9 | Xn; R21/22 C; R34 R43 R52-53 |

3 HAZARDS IDENTIFICATION**Risk Phrases** : May cause sensitization by skin contact.
Possible risk of impaired fertility.
This product is flammable.
Harmful if swallowed.**Environmental hazard** : Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.**4 FIRST AID MEASURES**

- Inhalation** : If breathing is difficult, give oxygen.
If not breathing, give artificial respiration.
Remove victim to fresh air.
If you feel unwell, seek medical advice (show the label where possible).
 - Skin contact** : Clothing that has become saturated with the product must be removed immediately because the product is absorbed through the skin.
Wash skin with mild soap and water.
 - Eye contact** : In case of eye contact, immediately rinse with clean water for 20-30 minutes.
 - Ingestion** : Place the victim in the recovery position.
If swallowed, seek medical advice immediately and show this container or label.
Do not induce vomiting.
- General information** : Obtain emergency medical attention.

5 FIRE-FIGHTING MEASURES**Hazardous combustion products** : Incomplete combustion may form carbon monoxide.**Strizo synthetics B.V.**

Jules Verneweg 98 5015 BM Tilburg Nederland
Tel: 0031 (0) 13-5362885 Fax: 0031 (0) 13-5427195
E - Mail: info@strizo.com Web Site : www.strizo.com

In case of emergency : 0031 (0) 13-5362885



SAFETY DATA SHEET

Page : 2

Revised edition no : 0

Date : 27 / 12 / 2010

Supersedes : 0 / 0 / 0

Strizo EP 425**7425 B**

5 FIRE-FIGHTING MEASURES (continued)

- Extinguishing media** : Carbon dioxide.
Water spray.
- Suitable extinguishing media** : Alcohol resistant foam.
Dry powder.
- Surrounding fires** : Use water spray to cool exposed surfaces.
- Protection against fire** : Wear proper protective equipment.
- Special procedures** : Spray with water from distance to stay away from possible explosion.
Avoid (reject) fire-fighting water to enter environment.
- Special protective equipment for fire fighters** : In confined space use self-contained breathing apparatus.

6 ACCIDENTAL RELEASE MEASURES

- Personal precautions** : Use self-contained breathing apparatus and chemically protective clothing.
Eliminate ignition sources.
- Environmental precautions** : Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous.
Dike the product for recovery.
Prevent entry to sewers and public waters.
- Clean up methods** : Dispose in a safe manner in accordance with local/national regulations. Clean up any spills as soon as possible, using an absorbent material to collect it.

7 HANDLING AND STORAGE

- General** : Ventilate confined spaces before entering.
- Precautions in handling and storage** : Avoid all unnecessary exposure.
- Personal protection** : Protect eyes, face and skin from liquid splashes.
- Storage - away from Handling** : Acids.
Wear suitable gloves and eye/face protection. Wash hands and other exposed areas with mild soap and water before eat, drink or smoke and when leaving work. Keep away from food, drink and animal feeding stuffs.

8 EXPOSURE CONTROLS / PERSONAL PROTECTION

- Personal protection** : Wear suitable hand, body and head protection. Wear goggles with suitable filter lenses when use is cutting/welding.
- Respiratory protection** : In case of insufficient ventilation, wear suitable respiratory equipment. Where excessive vapour, mist, or dust may result, use approved respiratory protection equipment.
- Hand protection** : Wear suitable gloves resistant to chemical penetration.
- Skin protection** : Wear suitable protective clothing and gloves.
- Eye protection** : Safety glasses with side guards should be worn to prevent injury from airborne particles and/or other eye contact with this product.
- Ingestion** : When using, do not eat, drink or smoke.

9 PHYSICAL AND CHEMICAL PROPERTIES

- Physical state at 20 °C** : Liquid.
- Physical state** : Liquid.
- Colour** : Slightly yellow.

Strizo synthetics B.V.

Jules Verneweg 98 5015 BM Tilburg Nederland
Tel: 0031 (0) 13-5362885 Fax: 0031 (0) 13-5427195
E - Mail: info@strizo.com Web Site : www.strizo.com

In case of emergency : 0031 (0) 13-5362885



SAFETY DATA SHEET

Page : 3

Revised edition no : 0

Date : 27 / 12 / 2010

Supersedes : 0 / 0 / 0

Strizo EP 425**7425 B**

9 PHYSICAL AND CHEMICAL PROPERTIES (continued)

| | |
|-----------------------|----------------------------------|
| Odour | : Ammonia. |
| pH value | : alkaline |
| Boiling point [°C] | : 200 gr |
| Density | : 1.05 g/cm ³ |
| Vapour pressure, 20°C | : 10.34 mmHg |
| Vapour pressure mm/Hg | : < 0.98 mmhg No data available. |
| Solubility in water | : Insoluble. |
| Flash point [°C] | : 100 gr |

10 STABILITY AND REACTIVITY

| | |
|----------------------------------|---|
| Hazardous decomposition products | : Nitrogen oxides. |
| Materials to avoid | : Strong acids, bases. Strong oxidizers. |

11 TOXICOLOGICAL INFORMATION

| | |
|----------------|---|
| Acute toxicity | : No known toxicological effects from this product. |
| - Dermal | : May cause sensitization by skin contact. |
| - Ocular | : Irritating to eyes. |

12 ECOLOGICAL INFORMATION

| | |
|--------------------------------|---|
| Ecological effects information | : This product contains hazardous components for the environment. |
| Environmental precautions | : Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous. |

13 DISPOSAL CONSIDERATIONS

| | |
|---------|--|
| General | : Dispose in a safe manner in accordance with local/national regulations. Dispose of this material and its container at hazardous or special waste collection point. |
|---------|--|

14 TRANSPORT INFORMATION

| | |
|-----------------|--------|
| UN No. | : 2735 |
| - ADR Class | : 8 |
| - Packing group | : III |

15 REGULATORY INFORMATION

| | |
|---------------|--|
| - Symbol(s) | : C : Corrosive |
| - R Phrase(s) | : R34 : Causes burns. R43 : May cause sensitization by skin contact. R52/53 : Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. |
| - S Phrase(s) | : S26 : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S36/37/39 : Wear suitable protective clothing, gloves and eye/face protection. S45 : In case of accident or if you feel unwell, seek medical advice immediately (show the label when possible). |

Strizo synthetics B.V.

Jules Verneweg 98 5015 BM Tilburg Nederland
Tel: 0031 (0) 13-5362885 Fax: 0031 (0) 13-5427195
E - Mail: info@strizo.com Web Site : www.strizo.com

In case of emergency : 0031 (0) 13-5362885



SAFETY DATA SHEET

Page : 4

Revised edition no : 0

Date : 27 / 12 / 2010

Supersedes : 0 / 0 / 0

Strizo EP 425**7425 B****15 REGULATORY INFORMATION (continued)****Contains** : Benzyl alcohol - 3-aminomethyl-3,5,5-trimethylcyclohexylamine**16 OTHER INFORMATION****List of relevant R phrases (heading 2)** : R20/22 : Harmful by inhalation and if swallowed.
R21/22 : Harmful in contact with skin and if swallowed.
R34 : Causes burns.
R43 : May cause sensitization by skin contact.
R52/53 : Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.**List of relevant symbols (heading 2)** : C : Corrosive
Xn : Harmful**Further information** : None.

The contents and format of this SDS are in accordance with EEC Commission Directive 2001/58EC.

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

End of document**Strizo synthetics B.V.**Jules Verneweg 98 5015 BM Tilburg Nederland
Tel: 0031 (0) 13-5362885 Fax: 0031 (0) 13-5427195
E - Mail: info@strizo.com Web Site : www.strizo.com**In case of emergency : 0031 (0) 13-5362885**